Notice of Allowability

Application No.	Applicant(s)
10/777,933	BEIGHTOL ET AL.
Examiner	Art Unit
KAN VIIEN	2616

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative

- of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.
- This communication is responsive to 4/8/2008.
- 2. The allowed claim(s) is/are 21-29, 40-44 (RENUMBERRED 1-14 RESPECTIVELY).
- 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - b) \(\subseteq \text{Some* c} \) \(\subseteq \text{None of the:} \) a) \square All
 - 1. T Certified copies of the priority documents have been received.
 - 2. Certified copies of the priority documents have been received in Application No.
 - 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
 - * Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

- A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
- CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) Including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).

6.

DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- 1. | Notice of References Cited (PTO-892)
- 2. Notice of Draftperson's Patent Drawing Review (PTO-948)
- Information Disclosure Statements (PTO/SB/08). Paper No./Mail Date
- 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
- 5. Notice of Informal Patent Application
- Interview Summary (PTO-413), Paper No./Mail Date 20080724.
- 7. X Examiner's Amendment/Comment
- 8. X Examiner's Statement of Reasons for Allowance
- Other .

Application/Control Number: 10/777,933 Art Unit: 2616

 An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Jim Graziano on 7/18/2008.

The application has been amended as follows:

Claims 1-20 and 30-39 are now cancelled.

Allowable Subject Matter

2. Claims 21-29 and 40-44 are allowed. The prior art failed to teach the limitations of detecting when a pause in data delivery is necessary; determining an effect that pauses at specific points in the delivery of data would have on performance of the receiving device; and managing buffering and subsequent delivery of data exclusively over said communication connection on said IP-based network to the receiving device, such that pauses in the data delivery occur at locations that would have a minimal impact on the performance of the receiving device, as recited in claim 21.

The prior art also failed to teach the limitations of providing a transmit buffer for temporary storage of data packets to be sent across a communication connection established on an IP-based communication network; storing in said transmit buffer at least one data packet that is transmitted across said IP-based communication network;

Art Unit: 2616

and varying a size of said transmit buffer based on input from at least one of said IP-based communication network and a destination system which is on said communication connection and connected to said IP-based communication network, as recited in claim 40.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to KAN YUEN whose telephone number is (571)270-1413. The examiner can normally be reached on Monday-Friday 10:00a.m-3:00p.m EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ricky O. Ngo can be reached on 571-272-3139. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/777,933 Page 4

Art Unit: 2616

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Ricky Ngo/ Supervisory Patent Examiner, Art Unit 2616

ΚY